

Characterization of afterglow-related spectroscopic effects in vacuum sintered Tb³⁺, Sr²⁺ co-doped Lu₂O₃ ceramics.

Autorzy

Shi Chen

Yan Yang

Guohong Zhou

Yiquan Wu

Peng Liu

Fang Zhang

Shiwei Wang

Joanna Trojan-Piegza

Eugeniusz Zych

Rok wydania

2012

Czasopismo

Optical Materials

Numer woluminu

35

Strony

240-243

DOI

10.1016/j.optmat.2012.08.001

Kolekcja

Naukowa

Język

Angielski

Streszczenie

Persistent luminescence phosphors, Tb³⁺, Sr²⁺ co-doped Lu₂O₃ ceramics were fabricated under vacuum at 1870 °C. A strong green color afterglow could be observed after excitation with 254 nm UV radiation. The afterglow was found to be roughly doubled in intensity upon stimulation with violet or blue-green photons (~400–600 nm) as well as upon IR radiation (~800–980 nm). Hence, the enhancement of the green afterglow could also be attained by means of natural sunlight. Short wavelength UV radiation was found to induce an extrinsic absorption band below about 600 nm and extending into the deep UV. This was mirrored by a simultaneous decrease of the absorption by Tb³⁺ around 230–320 nm. The extrinsic absorption seemed to contain at least two overlapping components which supposedly resulted from a band related to Tb⁴⁺/Tb³⁺-h and a feature resulting from F/F⁺ centers created upon irradiation with short UV. This absorption was shown to be reversible, as it disappeared after a short heat treatment at about 300 °C as well as with continuous irradiation of ~400 nm radiation.

Słowa kluczowe

Afterglow, Lutetium oxide, Photostimulated luminescence

Adres publiczny

<https://doi.org/10.1016/j.optmat.2012.08.001>

Strona internetowa wydawcy

<http://www.elsevier.com>

Typ publikacji

Artykuł

Plik został wygenerowany dnia 2026-06-14 11:09:08

Adres w repozytorium <https://old.chem.uni.wroc.pl/pl/repozytorium/1WmBtWN>.