

## Influence of structural elements on iron(III) chelating properties in a new series of amino acid-derived monohydroxamates.

### Autorzy

Agnieszka Szebesczyk

Evgenia Olshvang

Jenny Besserglick

Elżbieta Gumienna-Kontecka

### Rok wydania

2018

### Czasopismo

Inorganica Chimica Acta

### Numer woluminu

473

### Strony

286-296

### DOI

10.1016/j.ica.2017.06.020

### Kolekcja

Naukowa

### Język

Angielski

### Typ publikacji

Artykuł

### Streszczenie

A series of amino acid-derived monohydroxamate compounds **A1–A7** was synthesized and characterized for their coordination properties of Fe(III). The series varies in their skeletal lengths and compositions; some compounds lack external substituents, others are substituted with external functional amino or carboxylic groups, or alternatively inert methyl. Undertaken investigations allowed the determination of stoichiometry, stability constants and spectroscopic parameters of formed ferric complexes. Incorporation of an external functional group with a dissociable proton affects the coordination behavior; the presence of carboxylic or amino groups hampers the formation of mono-, di- and trihydroxamate ferric complexes of presented compounds. The differences in Fe(III) affinity of the monohydroxamates vs trihydroxamates was reflected by the stability constants and pFe, indicating the superior stability of hexadentate complexes.

### Słowa kluczowe

Siderophores, Hydroxamates, Fe(III) complexes

### Adres publiczny

<http://dx.doi.org/10.1016/j.ica.2017.06.020>

### Strona internetowa wydawcy

<http://www.elsevier.com>