



Optical and structural investigation of dysprosium doped- $\text{Y}_2\text{Te}_4\text{O}_{11}$.

Autorzy

Damian Szymański

Marcin Sobczyk

Rok wydania

2016

Czasopismo

Journal of Luminescence

Numer woluminu

173

Strony

11-18

DOI

10.1016/j.jlumin.2015.12.023

Kolekcja

Naukowa

Język

Angielski

Typ publikacji

Artykuł

Streszczenie

In this paper, the optical properties of $\text{Y}_2\text{Te}_4\text{O}_{11}$ microcrystalline powders doped with Dy^{3+} ions, ranging between 0.01 and 5.0 at%, are reported. The powders were successfully synthesized by the solid state reaction method. Absorption (300K), excitation (300K) and fluorescence spectra (at 11.6 and 300K) as well as fluorescence decay curves recorded at room temperature are presented and analyzed in details. Oscillator strengths, phenomenological Ω_λ ($\lambda=2, 4, 6$) Judd-Ofelt parameters, radiative transition probabilities, branching ratios, the radiative lifetime of the $^4\text{F}_{9/2}$ level as well as the stimulated emission cross-section for the $^4\text{F}_{9/2} \rightarrow ^6\text{H}_{13/2}$ transition have been determined. The observed non-exponential decay nature and concentration quenching of the $^4\text{F}_{9/2}$ emitting level of the Dy^{3+} ion, have been attributed to cross-relaxation processes. The high value of the stimulated emission cross-section for the $^4\text{F}_{9/2} \rightarrow ^6\text{H}_{13/2}$ transition at 576.6 nm, equal to $0.756 \times 10^{-20} \text{ cm}^2$, indicates that $\text{Y}_2\text{Te}_4\text{O}_{11}$ activated by trivalent dysprosium ions is an attractive candidate for a solid-state laser.

Słowa kluczowe

oxotellurates, Dy^{3+} ion, luminescence, Emission cross section, laser materials

Adres publiczny

<http://dx.doi.org/10.1016/j.jlumin.2015.12.023>

Strona internetowa wydawcy

<http://www.elsevier.com>