

Carbacylamidophosphates: synthesis, properties and structure of dimorpholido-N-trichloroacetylphosphorylamide.

Autorzy

Vladimir A. Ovchynnikov

Vladimir M. Amirkhanov

T. P. Timoshenko

Tadeusz Głowiak

Henryk Kozłowski

Rok wydania

1998

Czasopismo

Zeitschrift für Naturforschung
Section B: A Journal of
Chemical Sciences

Numer woluminu

53b

Strony

481-484

DOI

10.1515/znb-1998-0415

Kolekcja

Naukowa

Język

Angielski

Typ publikacji

Artykuł

Streszczenie

Dimorpholido-N-trichloroacetylphosphorylamide: $\text{CCl}_3\text{C}(\text{O})\text{NHP}(\text{O})[\text{N}(\text{CH}_2\text{CH}_2)_2\text{O}]_2$ [HL] and its sodium [NaL] and morpholine $[\text{HN}(\text{CH}_2\text{-CH}_2)_2\text{O}\cdot\text{HL}]$ salts were synthesized for the first time. The compounds were studied by IR spectroscopy and assignments of the characteristic IR bands have been made. The structure of [HL] was determined by X-ray diffraction. Crystals are monoclinic, $a = 11.412(2)$ Å, $b = 16.056(3)$ Å, $c = 9.622(2)$ Å, $\beta = 108.55(3)^\circ$, space group $\text{P}2_1/c$; $Z = 4$. The refinement of the structure converged at $R = 0.066$. The molecules are connected into centrosymmetric dimers via hydrogen bonds formed by the phosphorylic oxygen atoms and hydrogen atoms of amide groups.

Słowa kluczowe

Carbacylamidophosphates, IR Data, X-Ray Dat

Adres publiczny

<https://doi.org/10.1515/znb-1998-0415>

Strona internetowa wydawcy

<https://www.degruyter.com>