

Ultrahigh surface area zirconium MOFs and insights into the applicability of the BET theory.

Autorzy

Timothy Chiaan Wang
Wojciech Bury
Diego A. Gomez-Gualdron
Nicolaas A. Vermeulen
Joseph E. Mondloch
Pravas Deria
Kainan Zhang
Peyman Z. Moghadam
Amy A. Sarjeant
Randall Q. Snurr
J. Fraser Stoddart
Joseph T. Hupp
Omar K. Farha

Rok wydania

2015

Czasopismo

Journal of the American
Chemical Society

Numer woluminu

137

Strony

3585-3591

DOI

10.1021/ja512973b

Streszczenie

An isorecticular series of metal–organic frameworks (MOFs) with the ftw topology based on zirconium oxoclusters and tetracarboxylate linkers with a planar core (NU-1101 through NU-1104) has been synthesized employing a linker expansion approach. In this series, NU-1103 has a pore volume of 2.91 cc g^{−1} and a geometrically calculated surface area of 5646 m² g^{−1}, which is the highest value reported to date for a zirconium-based MOF and among the largest that have been reported for any porous material. Successful activation of the MOFs was proven based on the agreement of pore volumes and BET areas obtained from simulated and experimental isotherms. Critical for practical applications, NU-1103 combines for the first time ultrahigh surface area and water stability, where this material retained complete structural integrity after soaking in water. Pressure range selection for the BET calculations on these materials was guided by the four so-called “consistency criteria”. The experimental BET area of NU-1103 was 6550 m² g^{−1}. Insights obtained from molecular simulation suggest that, as a consequence of pore-filling contamination, the BET method overestimates the monolayer loading of NU-1103 by ~16%.

Adres publiczny

<http://dx.doi.org/10.1021/ja512973b>

Strona internetowa wydawcy

<https://www.acs.org/content/acs/en.html>

Kolekcja

Naukowa

Język

Angielski

Typ publikacji

Artykuł

Plik został wygenerowany dnia 2026-10-04 04:44:31

Adres w repozytorium <https://old.chem.uni.wroc.pl/pl/repozytorium/xvsfZq9>.