

Modeling 4f-4f intensity parameters as a function of structural distortions in Ln(2,2'-bipyridine-1,1'-dioxide)₄(ClO₄)₃ complexes (Ln = Pr³⁺, Nd³⁺).

<u>Autorzy</u>	<u>Streszczenie</u>
Albano N. Carneiro Neto Ewa Huskowska Paula Gawryszewska Janina Legendziewicz Oscar L. Malta	This work reports on the influence of structural distortions on 4f-4f intensity parameters. These distortions in the first coordination sphere were applied to two complexes with similar structures, Ln(bpyO ₂) ₄ (ClO ₄) ₃ (Ln = Pr ³⁺ , Nd ³⁺ ions and bpyO ₂ = 2,2'-bipyridine-1,1'-dioxide). The 4f-4f intensity theory and the PM3/Sparkle model were used. It is concluded that larger distortions are predicted for the Pr complex, and that this point might contribute to the rationalization of the much higher values of the Ω _λ intensity parameters in the Pr complex than in the Nd one.
<u>Rok wydania</u>	<u>Słowa kluczowe</u>
2016	lanthanide coordination compounds, Intensity parameters, Structural distortions
<u>Czasopismo</u>	<u>Adres publiczny</u>
Journal of Luminescence	http://dx.doi.org/10.1016/j.jlumin.2015.02.028
<u>Numer woluminu</u>	<u>Strona internetowa wydawcy</u>
169	http://www.elsevier.com
<u>Strony</u>	
454-457	
<u>DOI</u>	
10.1016/j.jlumin.2015.02.028	
<u>Kolekcja</u>	
Naukowa	
<u>Język</u>	
Angielski	
<u>Typ publikacji</u>	
Artykuł	